



Studi rilevanti sul trattamento della disprassia verbale evolutiva (non RCT)

- Baas, B. S., Strand, E. A., Elmer, L. M., & Barbaresi, W. J. (2008). Treatment of severe childhood apraxia of speech in a 12-year-old male with CHARGE association. *Journal of Medical Speech-Language Pathology, 16*(4), 181-191.
- Ballard, K. J., Robin, D. A., McCabe, P., & McDonald, J. (2010). A treatment for dysprosody in childhood apraxia of speech. *Journal of Speech, Language and Hearing Research, 53*(5), 1227-1245.
- Beathard, B., & Krout, R. E. (2008). A music therapy clinical case study of a girl with childhood apraxia of speech: Finding Lily's voice. *The Arts in Psychotherapy, 35*(2), 107-116.
- Binger, C., & Light, J. (2007). The effect of aided AAC modeling on the expression of multi-symbol messages by preschoolers who use AAC. *Augmentative and alternative communication, 23*(1), 30-43.
- Binger, C., & Light, J. (2008). The morphology and syntax of individuals who use AAC: Research review and implications for effective practice. *Augmentative and Alternative Communication, 24*(2), 123-138.
- Binger, C., Maguire-Marshall, M., & Kent-Walsh, J. (2011). Using aided AAC models, recasts, and contrastive targets to teach grammatical morphemes to children who use AAC. *Journal of Speech, Language and Hearing Research, 54*(1), 160-176.
- Bornman, E. Alant, E. Meiring, J. (2001). The use of a digital voice output device to facilitate language development in a child with developmental apraxia of speech: A case study. *Disability and Rehabilitation, 23*(14), 623-634.
- Bose, A., Square, P. A., Schlosser, R., & van Lieshout, P. (2001). Effects of PROMPT therapy on speech motor function in a person with aphasia and apraxia of speech. *Aphasiology, 15*(8), 767-785.
- Carter, P., & Edwards, S. (2004). EPG therapy for children with long-standing speech disorders: Predictions and outcomes. *Clinical linguistics & phonetics, 18*(6-8), 359-372.
- Chappell, G. E. (1973). Childhood verbal apraxia and its treatment. *Journal of Speech and Hearing Disorders, 38*(3), 362-368.
- Culp, D. (1989). Developmental apraxia and augmentative or alternative communication—a case example. *Augmentative and Alternative Communication, 5*(1), 27-34.
- Cumley, G., & Swanson, S. (1999). Augmentative and alternative communication options for children with developmental apraxia of speech: Three case



studies. *Augmentative and Alternative Communication*, 15(2), 110-125.

Dale, P. S., & Hayden, D. A. (2013). Treating speech subsystems in childhood apraxia of speech with tactal input: The PROMPT approach. *American Journal of Speech-language Pathology*, 22(4), 644-661.

Daly, D. A., Cantrell, R. P., Cantrell, M. L., & Aman, L. A. (1972). Structuring speech therapy contingencies with an oral apraxic child. *Journal of Speech and Hearing Disorders*, 37(1), 22-32.

Dworkin, J. P., Abkarian, G. G., & Johns, D. F. (1988). Apraxia of speech: The effectiveness of a treatment regimen. *Journal of Speech and Hearing Disorders*, 53(3), 280-294.

Edeal, D. M., & Gildersleeve-Neumann, C. E. (2011). The importance of production frequency in therapy for childhood apraxia of speech. *American Journal of Speech-language Pathology*, 20(2), 95-110.

Forrest, K., & Elbert, M. (2001). Treatment for phonologically disordered children with variable substitution patterns. *Clinical linguistics & phonetics*, 15(1-2), 41-45.

Groenen, P., Maassen, B., Crul, T., & Thoonen, G. (1996). The specific relation between perception and production errors for place of articulation in developmental apraxia of speech. *Journal of Speech, Language, and Hearing Research*, 39(3), 468-482.

Hadar, U., Twiston-Davies, R., Steiner, T. J., & Rose, F. C. (1984). A psychomotor approach to improving speech by modulating suprasegmental control in motor dysphasia and articulatory apraxia. *Advances in neurology*, 42, 337-351.

Hall, P. K. (1989). The occurrence of developmental apraxia of speech in a mild articulation disorder: A case study. *Journal of Communication Disorders*, 22(4), 265-276.

Hall, P. K., Hardy, J. C., & Lavelle, W. E. (1990). A child with signs of developmental apraxia of speech with whom a palatal lift prosthesis was used to manage palatal dysfunction. *Journal of Speech and Hearing Disorders*, 55(3), 454-460.

Harris, L., Doyle, E. S., & Haaf, R. (1996). Language treatment approach for users of AAC: Experimental single-subject investigation. *Augmentative and Alternative Communication*, 12(4), 230-243.

Hayden, D. (2006). The PROMPT model: Use and application for children with mixed phonological-motor impairment. *Advances in Speech Language Pathology*, 8(3), 265-281.

Head, D. G., & Smith, D. (1975). Speech remediation of children involved in two different physical education programs. *Perceptual and Motor Skills*, 40(1),



261-262.

- Helfrich-Miller, K. R. (1994). A clinical perspective: melodic intonation therapy for developmental apraxia. *Clinics in Communication Disorders*, 4(3), 175-182.
- Iuzzini, J., & Forrest, K. (2010). Evaluation of a combined treatment approach for childhood apraxia of speech. *Clinical linguistics & phonetics*, 24(4-5), 335-345.
- Jaroma, M., Danner, P., & Koivuniemi, E. (1984). Sensory integrative therapy and speech therapy for improving the perceptual motor skills and speech articulation of a dyspraxic boy. *Folia Phoniatrica et Logopaedica*, 36(6), 261-266.
- Kadis, D. S., Goshulak, D., Namasivayam, A., Pukonen, M., Kroll, R., De Nil, L. F., ... & Lerch, J. P. (2014). Cortical thickness in children receiving intensive therapy for idiopathic apraxia of speech. *Brain Topography*, 27, 240-247.
- Katz, W. F., Bharadwaj, S. V., & Stettler, M. P. (2006). Influences of electromagnetic articulography sensors on speech produced by healthy adults and individuals with aphasia and apraxia. *Journal of Speech, Language and Hearing Research*, 49(3), 645-659.
- King, A. M., Hengst, J. A., & DeThorne, L. S. (2013). Severe speech sound disorders: An integrated multimodal intervention. *Language, Speech, and Hearing Services in Schools*, 44(2), 195-210.
- Kingston, L. M., & Rosenthal, J. B. (1987). Oral stereognosis in children with disordered articulation: measurement issues, and a treatment study. *Australian Journal of Human Communication Disorders*, 15(1), 1-14.
- Klick, S. L. (1985). Adapted cuing technique for use in treatment of dyspraxia. *Language, Speech, and Hearing Services in Schools*, 16(4), 256-259.
- Krauss, T., & Galloway, H. (1982). Melodic intonation therapy with language delayed apraxic children. *Journal of music therapy*, 19(2), 102-113.
- Lagasse, B. (2012). Evaluation of melodic intonation therapy for developmental apraxia of speech. *Music Therapy Perspectives*, 30(1), 49-55.
- Lozano, R. A., & Dreyer, D. E. (1978). Some effects of delayed auditory feedback on dyspraxia of speech. *Journal of Communication Disorders*, 11(5), 407-415.
- Lüke, C. (2016). Impact of speech-generating devices on the language development of a child with childhood apraxia of speech: a case study. *Disability and Rehabilitation: Assistive Technology*, 11(1), 80-88.
- Lundeborg, I., & McAllister, A. (2007). Treatment with a combination of intra-oral sensory stimulation and electropalatography in a child with severe developmental dyspraxia. *Logopedics Phoniatrics Vocology*, 32(2), 71-79.



- Maas, E., Butalla, C. E., & Farinella, K. A. (2012a). Feedback frequency in treatment for childhood apraxia of speech. *American Journal of Speech-language Pathology*, 21(3), 239-257..
- Maas, E., & Farinella, K. A. (2012b). Random versus blocked practice in treatment for childhood apraxia of speech. *Journal of Speech, Language and Hearing Research*, 55(2), 561-578.
- Martikainen, A. L., & Korpilahti, P. (2011). Intervention for childhood apraxia of speech: A single-case study. *Child Language Teaching and Therapy*, 27(1), 9-20.
- Martin, M. K., Wright, L. E., Perry, S., Cornett, D., Schraeder, M., & Johnson, J. T. (2016). Children with Developmental Verbal Dyspraxia: Changes in articulation and perceived resilience with intensive multimodal intervention. *Child Language Teaching and Therapy*, 32(3), 261-275.
- McCabe, P., Macdonald-D'Silva, A. G., Van Rees, L. J., Ballard, K. J., & Arciuli, J. (2014). Orthographically sensitive treatment for dysprosody in children with childhood apraxia of speech using ReST intervention. *Developmental Neurorehabilitation*, 17(2), 137-145.
- McNeill, B. C., Gillon, G. T., & Dodd, B. (2009a). Phonological awareness and early reading development in childhood apraxia of speech (CAS). *International journal of language & communication disorders*, 44(2), 175-192.
- McNeill, B. C., Gillon, G. T., & Dodd, B. (2009b). A longitudinal case study of the effects of an integrated phonological awareness program for identical twin boys with childhood apraxia of speech (CAS). *International journal of speech-language pathology*, 11(6), 482-495.
- McNeill, B. C., Gillon, G. T., & Dodd, B. (2010). The longer term effects of an integrated phonological awareness intervention for children with childhood apraxia of speech. *Asia Pacific Journal of Speech, Language and Hearing*, 13(3), 145-161.
- Morgan Barry, R. (1995). The relationship between dysarthria and verbal dyspraxia in children: A comparative study using profiling and instrumental analyses. *Clinical Linguistics & Phonetics*, 9(4), 277-309.
- Moriarty, B. C., & Gillon, G. T. (2006). Phonological awareness intervention for children with childhood apraxia of speech. *International Journal of Language & Communication Disorders*, 41(6), 713-734.
- Namasivayam, A. K., Pukonen, M., Goshulak, D., Vickie, Y. Y., Kadis, D. S., Kroll, R., ... & Luc, F. (2013). Relationship between speech motor control and speech intelligibility in children with speech sound disorders. *Journal of communication disorders*, 46(3), 264-280.
- Namasivayam, A., Pukonen, M., Hard, J., Jahnke, R., Kearney, E., Kroll, R., & Van Lieshout, P. (2015). Motor speech treatment protocol for developmental motor speech disorders. *Developmental Neurorehabilitation*, 18(5), 296-303.
- Preston, J. L., Brick, N., & Landi, N. (2013). Ultrasound biofeedback treatment for persisting childhood apraxia of speech. *American Journal of Speech and*



Language Pathology, 22(4), 627-643.

Preston, J. L., Leece, M. C., & Maas, E. (2016). Intensive treatment with ultrasound visual feedback for speech sound errors in childhood apraxia. *Frontiers in Human Neuroscience*, 10, 440.

Preston, J. L., Leece, M. C., & Maas, E. (2017). Motor-based treatment with and without ultrasound feedback for residual speech-sound errors. *International Journal of Language & Communication Disorders*, 52(1), 80-94.

Ray, J. (2003). Effects of orofacial myofunctional therapy on speech intelligibility in individuals with persistent articulatory impairments. *International Journal of Orofacial Myology and Myofunctional Therapy*, 29(1), 5-14.

Richardson, A. J. (2004). Clinical trials of fatty acid treatment in ADHD, dyslexia, dyspraxia and the autistic spectrum. *Prostaglandins, leukotrienes and essential fatty acids*, 70(4), 383-390.

Rosenbek, J., Hansen, R., Baughman, C. H., & Lemme, M. (1974). Treatment of developmental apraxia of speech: A case study. *Language, Speech, and Hearing Services in Schools*, 5(1), 13-22.

Rosenthal, J. B. (1994). Rate control therapy for developmental apraxia of speech. *Clinics in Communication Disorders*, 4(3), 190-200.

Skelton, S. L., & Hagopian, A. L. (2014). Using randomized variable practice in the treatment of childhood apraxia of speech. *American Journal of Speech-Language Pathology*, 23(4), 599-611.

Square, P. A. (1994). Treatment approaches for developmental apraxia of speech. *Clinics in Communication Disorders*, 4(3), 151-161.

Stokes, S. F., & Griffiths, R. (2010). The use of facilitative vowel contexts in the treatment of post-alveolar fronting: A case study. *International journal of language & communication disorders*, 45(3), 368-380.

Strand, E. A., & Debertine, P. (2000). The efficacy of integral stimulation intervention with developmental apraxia of speech. *Journal of Medical Speech-Language Pathology*, 8(4), 295-300.

Strand, E. A., Stoeckel, R., & Baas, B. (2006). Treatment of severe childhood apraxia of speech: a treatment efficacy study. *Journal of Medical Speech-Language Pathology*, 14(4), 297-308.

Thomas, D. C., McCabe, P., & Ballard, K. J. (2014). Rapid syllable transitions (ReST) treatment for childhood apraxia of speech: The effect of lower dose-frequency. *Journal of communication disorders*, 51, 29-42.



- Thomas, D. C., McCabe, P., Ballard, K. J., & Lincoln, M. (2016). Telehealth delivery of Rapid Syllable Transitions (ReST) treatment for childhood apraxia of speech. *International Journal of Language & Communication Disorders*, 57(6), 654-671.
- Tierney, C. D., Pitterle, K., Kurtz, M., Nakhla, M., & Todorow, C. (2016). Bridging the gap between speech and language: Using multimodal treatment in a child with apraxia. *Pediatrics*, 138(3).
- Vashdi, E. (2013). Using VML (verbal motor learning) method techniques in treatment of prosody disorder due to childhood apraxia of speech: A case study. *International Journal of Child Health and Human Development*, 6(2), 255.
- Vashdi, E. (2014) The influence of initial phoneme cue technique on word formation: a case study of a child with apraxia of speech and autism. *International Journal of Child Health and Human Development*, 7(2), 197-203.
- Velleman, S.L., Strand, K. (1994) Developmental verbal dyspraxia. In: Bernthal JE, Bankson NW editor(s). *Child Phonology: Characteristics, Assessment, and Intervention with Special Populations*. New York (NY): Thieme, 110-139.
- Yoss, K. A., & Darley, F. L. (1974). Developmental apraxia of speech in children with defective articulation. *Journal of Speech and Hearing Research*, 17(3), 399-416.
- Zaretsky, E., Velleman, S. L., & Curro, K. (2010). Through the magnifying glass: Underlying literacy deficits and remediation potential in childhood apraxia of speech. *International journal of speech-language pathology*, 12(1), 58-68.